

兔抗 POLR1C 多克隆抗体

中文名称：兔抗 POLR1C 多克隆抗体

英文名称：Anti-POLR1C rabbit polyclonal antibody

别名：POLR1C; RPA39; RPC40; AC40; POLR1E; RPA40

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：POLR1C

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphates as substrates. Common component of RNA polymerases I and III which synthesize ribosomal RNA precursors and small RNAs, such as 5S rRNA and tRNAs, respectively. RPAC1 is part of the Pol core element with the central large cleft and probably a clamp element that moves to open and close the cleft.
Applications:	WB, IHC
Name of antibody:	POLR1C
Immunogen:	Fusion protein of human POLR1C
Full name:	polymerase (RNA) I polypeptide C, 30kDa
Synonyms :	POLR1C; RPA39; RPC40; AC40; POLR1E; RPA40

SwissProt:	O15160
IHC positive control:	Human spleen
IHC Recommend dilution:	50-200
WB Predicted band size:	39 kDa
WB Positive control:	K562 and SW480 cells
WB Recommended dilution:	500-2000



