

兔抗 PPIC 多克隆抗体

中文名称:	兔抗 PPIC 多克隆抗体
英文名称:	Anti-PPIC rabbit polyclonal antibody
别名:	peptidylprolyl isomerase C; CYPC
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	PPIC
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family. PPIases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. Similar to other PPIases, this protein can bind immunosuppressant cyclosporin A.
Applications:	ELISA, WB, IHC
Name of antibody:	PPIC
Immunogen:	Fusion protein of human PPIC
Full name:	peptidylprolyl isomerase C
Synonyms:	CYPC
SwissProt:	P45877
ELISA Recommended dilution:	5000-10000

IHC positive control:	Human thyroid cancer and Human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	23 kDa
WB Positive control:	Mouse pancreas tissue lysate
WB Recommended dilution:	200-1000



