

## 兔抗 PSMD8 多克隆抗体

- 中文名称：兔抗 PSMD8 多克隆抗体
- 英文名称：Anti-PSMD8 rabbit polyclonal antibody
- 别名：S14, p31, HIP6, HYPF, Nin1p, Rpn12
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

**Background:**

The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. A pseudogene has been id

	entified on chromosome 1.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	PSMD8
<b>Immunogen:</b>	Fusion protein of human PSMD8
<b>Full name:</b>	proteasome (prosome, macropain) 26S subunit, non-ATP ase, 8
<b>Synonyms :</b>	S14, p31, HIP6, HYPF, Nin1p, Rpn12
<b>SwissProt:</b>	P48556
<b>ELISA Recommended dilution:</b>	2000-5000
<b>IHC positive control:</b>	Human colon cancer and human lung cancer
<b>IHC Recommend dilution:</b>	50-200

