

## 兔抗 DGKD 多克隆抗体

中文名称：兔抗 DGKD 多克隆抗体

英文名称：Anti-DGKD rabbit polyclonal antibody

别名：EPD; PDE; ATQ1

相关类别：一抗

抗原：DGKD

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a cytoplasmic enzyme that phosphorylates diacylglycerol to produce phosphatidic acid. Diacylglycerol and phosphatidic acid are two lipids that act as second messengers in signaling cascades. Their cellular concentrations are regulated by the encoded protein, and so it is thought to play an important role in cellular signal transduction. Alternative splicing results in two transcript variants encoding different isoforms.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	DGKD
<b>Immunogen:</b>	Synthetic peptide corresponding to a region derived from 456-470 amino acids of human DGKD
<b>Full name:</b>	diacylglycerol kinase delta

<b>Synonyms:</b>	dgkd-2; DGKdelta
<b>SwissProt:</b>	Q16760
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC Positive control:</b>	Human prostate cancer;Human esophagus cancer
<b>IHC Recommended dilution:</b>	20-100



