

兔抗 ERGIC3 多克隆抗体

中文名称: 兔抗 ERGIC3 多克隆抗体

英文名称: Anti-ERGIC3 rabbit polyclonal antibody

别名: ERGIC and golgi 3; Erv46; CGI-54; C2orf47; PRO0989; C20orf47; NY-BR-84; SDBCAG84; dJ477O4.2

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: ERGIC3

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|------------------------------------|--|
| Background: | Possible role in transport between endoplasmic reticulum and Golgi. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ERGIC3 |
| Immunogen: | Fusion protein of human ERGIC3 |
| Full name: | ERGIC and golgi 3 |
| Synonyms: | Erv46; CGI-54; C2orf47; PRO0989; C20orf47; NY-BR-84; SDBCAG84; dJ477O4.2 |
| SwissProt: | Q9Y282 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human thyroid cancer |
| IHC Recommend dilution: | 50-300 |

| | |
|--------------------------|------------------|
| WB Predicted band size: | 43 kDa |
| WB Positive control: | K562 cell lysate |
| WB Recommended dilution: | 500-2000 |



