

兔抗 COX6A2 多克隆抗体

- 中文名称：兔抗 COX6A2 多克隆抗体
- 英文名称：Anti-COX6A2 rabbit polyclonal antibody
- 别名：cytochrome c oxidase subunit 6A2; COX6AH; COXVIAH
- 抗原：COX6A2
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:	Cytochrome c oxidase (COX), the terminal enzyme of the mitochondrial respiratory chain, catalyzes the electron transfer from reduced cytochrome c to oxygen. It is a heteromeric complex consisting of 3 catalytic subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. The mitochondrially-encoded subunits function in electron transfer, and the nuclear-encoded subunits may be involved in the regulation and assembly of the complex. This nuclear gene encodes polypeptide 2 (heart/muscle isoform) of subunit VIa, and polypeptide 2 is present only in striated muscles. Polypeptide 1 (liver isoform) of subunit VIa is encoded by a differ
--------------------	---

	nt gene, and is found in all non-muscle tissues. These two polypeptides share 66% amino acid sequence identity.
Applications:	ELISA, WB
Name of antibody:	COX6A2
Immunogen:	Synthetic peptide of human COX6A2
Full name:	cytochrome c oxidase subunit 6A2
Synonyms:	COX6AH; COXVIAH
SwissProt:	Q02221
ELISA Recommended dilution:	5000-10000
WB Predicted band size:	11 kDa
WB Positive control:	Mouse heart tissue, Human heart tissue, Human muscle tissue lysates
WB Recommended dilution:	500-2000



