

兔抗 TBPL2 多克隆抗体

中文名称：兔抗 TBPL2 多克隆抗体

英文名称：Anti-TBPL2 rabbit polyclonal antibody

别名：TBP2; TRF3

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：TBPL2

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

| | |
|--------------------------|---|
| Background: | Transcription factor required in complex with TAF3 for the differentiation of myoblasts into myocytes. The complex replaces TFIID at specific promoters at an early stage in the differentiation process. By similarity. UniProtKB Q6SJ95 |
| Applications: | WB, IHC |
| Name of antibody: | TBPL2 |
| Immunogen: | Synthesized peptide derived from internal of human TBPL2. |
| Full name: | TATA box binding protein like 2 |
| Synonyms : | TBP2; TRF3 |

| | |
|---------------------------------|-----------------------------|
| SwissProt: | Q6SJ96 |
| IHC positive control: | Human lung carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 42 kDa |
| WB Positive control: | Hela cells lysate |
| WB Recommended dilution: | 500-3000 |



