

兔抗 CCN6 多克隆抗体

- 中文名称：兔抗 CCN6 多克隆抗体
- 英文名称：Anti-CCN6 rabbit polyclonal antibody
- 别名：cellular communication network factor 6; PPD; LIBC
- 储存：冷冻（-20℃）
- 抗原：CCN6
- 宿主：Rabbit
- 相关类别：一抗
- 反应种属：Human, Mouse
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the WNT1 inducible signaling pathway (WISP) protein subfamily, which belongs to the connective tissue growth factor (CTGF) family. WNT1 is a member of a family of cysteine-rich, glycosylated signaling proteins that mediate diverse developmental processes. The CTGF family members are characterized by four conserved cysteine-rich domains: insulin-like growth factor-binding domain, von Willebrand factor type C module, thrombospondin domain and C-terminal cystine knot-like domain. This gene is overexpressed in colon tumors. It may be downstream in the WNT1 signaling pathway that is relevant to malignant transformation. Mutations of this gene are associated with progressive pseudorheumatoid dysplasia, an autosomal recessive skeletal disorder, indicating that

	the gene is essential for normal postnatal skeletal growth and cartilage homeostasis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Applications:	ELISA, WB, IHC
Name of antibody:	CCN6
Immunogen:	Fusion protein of human CCN6
Full name:	cellular communication network factor 6
Synonyms:	PPD; LIBC; PPAC; WISP3; WISP-3
SwissProt:	O95389
IHC positive control:	Human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	39 kDa
WB Positive control:	TM4 cell lysate
WB Recommended dilution:	500-2000



