

兔抗 CDK5 多克隆抗体

中文名称：兔抗 CDK5 多克隆抗体

英文名称： Anti-CDK5 rabbit polyclonal antibody

别名： PSSALRE

抗原： CDK5

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	Cyclin-dependent kinases (CDKs) are serine/threonine kinases that are activated by cyclins and govern eukaryotic cell cycle progression. While CDK5 shares high sequence homology with its family members, it is thought mainly to function in postmitotic neurons to regulate the cytoarchitecture of these cells. Analogous to cyclins, the regulatory subunits p35 and p39 associate with and activate CDK5 despite the lack of sequence homology.
Applications:	ELISA, WB, IHC
Name of antibody:	CDK5
Immunogen:	Fusion protein of human CDK5
Full name:	cyclin-dependent kinase 5
Synonyms :	PSSALRE

SwissProt:	Q00535
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	33 kDa
WB Positive control:	Jurkat and NIH/3T3 cells
WB Recommended dilution:	500-2000



