

兔抗 CELSR2 多克隆抗体

中文名称：兔抗 CELSR2 多克隆抗体

英文名称：Anti-CELSR2 rabbit polyclonal antibody

别名：EGFL2; MEGF3; CDHF10; Flamingo1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CELSR2

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the flamingo subfamily, part of the cadherin superfamily. The flamingo subfamily consists of nonclassic-type cadherins; a subpopulation that does not interact with catenins. The flamingo cadherins are located at the plasma membrane and have nine cadherin domains, seven epidermal growth factor-like repeats and two laminin A G-type repeats in their ectodomain. They also have seven transmembrane domains, a characteristic unique to this subfamily. It is postulated that these proteins are receptors involved in contact-mediated communication, with cadherin domains acting as homophilic binding regions and the EGF-like domains involved in cell adhesion and receptor-ligand interaction.

	tions. The specific function of this particular member has not been determined.
Applications:	ELISA, IHC
Name of antibody:	CELSR2
Immunogen:	Synthetic peptide of human CELSR2
Full name:	cadherin, EGF LAG seven-pass G-type receptor 2
Synonyms :	EGFL2; MEGF3; CDHF10; Flamingo1
SwissProt:	Q9HCU4
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human brain and Human colon cancer
IHC Recommend dilution:	25-100

