

兔抗 PIP5K1C 多克隆抗体

中文名称: 兔抗 PIP5K1C 多克隆抗体

英文名称: Anti-PIP5K1C rabbit polyclonal antibody

别名: LCCS3; PIPKlg_v4; PIP5Kgamma; PIP5K-GAMMA

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: PIP5K1C

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This locus encodes a type I phosphatidylinositol 4-phosphate 5-kinase. The encoded protein catalyzes phosphorylation of phosphatidylinositol 4-phosphate, producing phosphatidylinositol 4,5-bisphosphate. This enzyme is found at synapses and has been found to play roles in endocytosis and cell migration. Mutations at this locus have been associated with lethal congenital contractural syndrome. Alternatively spliced transcript variants encoding different isoforms have been described.
Applications:	ELISA, WB, IHC
Name of antibody:	PIP5K1C
Immunogen:	Synthetic peptide of human PIP5K1C
Full name:	phosphatidylinositol-4-phosphate 5-kinase, type I, gamma

Synonyms :	LCCS3; PIPKIg_v4; PIP5Kgamma; PIP5K-GAMMA
SwissProt:	O60331
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	73 kDa
WB Positive control:	A431 and hela cells
WB Recommended dilution:	500-2000



